



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

INDEX TO VOLUME 45

New names and the final members of new combinations are in **bold face type**.

- Abies balsamea*, 37
Abrus precatorius, 277
Acacia *Cavenia*, 270; *farnesiana*, 276, 489; *koa*, 275
Acer pennsylvanicum, 37, 42; *rubrum*, 37; *saccharum*, 31, 37, 42, 205; *spicatum*, 38
Achillea Millefolium, 39
Achryanthus aspera, 277; *obovata*, 148; *splendens*, 274, 500; *splendens rotundata*, 274
Actaea alba, 31, 39; *rubra*, 207, 379
Actinostroma infundibuliformis, 461
Adiantum pedatum, 31, 94
Adenostegia, 400; *Bolanderi*, 406; *Bolanderi capitata*, 403, 404; *ciliosa*, 404; *canescens*, 419, 421; *filifolia*, 403, 410; **Hansenii**, 400, 403, 408; **Helleri**, 417; *laxiflorus*, 401; *littoralis*, 403, 413; *Kingii*, 416; *mollis*, 419; *maritima*, 420; *Nevinii*, 403, 409; *Orcuttiana*, 418; *palmata*, 419; *Parryi*, 421; *parviflora*, 403, 409; *pilosa*, 403, 405; *Pringlei*, 402; *ramosa*, 403, 414; *rigida*, 403, 411; *rigida brevibracteata*, 403, 412; *tenuis*, 403, 406; *viscida*, 400, 403, 407; *Wrightii*, 403
Adenostegia, Taxonomy and distribution of, 399
Aecidium anthericicola, 149; *Atriplicis*, 141; **Cyrrillae**, 150; *conspicuum*, 153; *Hyptidis*, 454; **Keerliae**, 154; **Mozinnae**, 152; *myricatum*, 291; **Pereziae**, 153; *plenum*, 149; *ranunculacearum*, 147; *Rosae*, 454; *roseum*, 154; **steviicola**, 154; **Thenardiaae**, 150; **Tithymali**, 151; *tucumanense*, 454
Aegopogon, 154
Aethusa Cynapium, 56
Agrostemma Githago, 379
Aira caryophylla, 369
Air chambers of Grimaldia fragrans, The, 235
Aleurites moluccana, 271, 276
Alisma subcordatum, 368
Alnus incana, 37
Alopecurus geniculatus, 369
Alsine graminea, 379
Ambrosia artemisiifolia, 40
Amelanchier canadensis, 292, 295; *intermedia*, 292, 294; *nantucketensis*, 380; *oblongifolia*, 381; *sp.*, 33, 38; *stolonifera*, 381
Ammophila arenaria, 492
Amsinckia arenaria, 382; *intermedia*, 382
Anacardium occidentale, 271
Andromeda glaucophylla, 38, 42
Anthericum nanum, 149
Antidesma platyphyllum, 134
Apocynum androsaemifolium, 40; *cannabinum*, 40
Aralia nudicaulis, 38, 207; *racemosa*, 40
Arctium minus, 40
Arctostaphylos Uva-ursi, 33, 38, 382
Argemone intermedia, 150; *mexicana*, 276
Argyreia tiliaefolia, 275, 487, 489
Arisaema pusillum, 373
Aronia nigra, 38
ARTHUR, J. C. New species of *Uredineae*—X, 141
Asclepias incarnata, 39; *syriaca*, 39
Asarum canadense, 207
Aspidium aculeatum, 98; *angulare*, 98; *auriculatum*, 98, 99, 100; *caryotideum*, 98; *chrysolobum*, 98–100; *falcatum*, 97; *Filix-mas*, 97; *Filix-mas cristatum*, 98; *Filix-mas genuinum*, 98; *hirtipes*, 100–102; *marginale*, 207; *spinulosum intermedium*, 207; *Tsus-Simense*, 98, 100; *varium*, 99
Asplenium Filix-foemina, 365; *nidus*, 94
Aster macrophyllus, 40
Athyrium angustatum, 366; *angustatum elatius*, 366; *angustatum rubellum*, 366; *asplenoides*, 366
Atriplex, 271; *confertifolia*, 141; *Nuttallii*, 142; *patula hastata*, 492
Auricularia ampla, 456; *corrugata*, 455; *lobata*, 455; *mesenterica*, 451, 455; *ornata*, 455; *phosphorea*, 457; *rugosissima*, 456; *sambucina*, 457; *tremelloides*, 455; *violacea*, 455
Auriculareae, 455
Avena sativa, 55
Avicennia tomentosa, 270, 271
AVERY, B. T., HARRIS, J. A. & Correlation of morphological variations in the seedling of *Phaseolus vulgaris*, 109
Barringtonia excelsa, 270; *speciosa*, 270

- Batis maritima*, 275, 487, 497
 BERRY, E. W. Notes on the fern genus *Clathropteris*, 279
Betula lutea, 37, 204, 207; *papyrifera*, 37; *populifolia*, 375; *pumila*, 34, 38
 BICKNELL, E. P. The ferns and flowering plants of Nantucket—XIX, 365
Bihai borinquena, 145; *latispatha*, 145
Bjerkandera adusta, 463
Blephariglottis ciliaris, 374
 BOAS, H. M. The relationship between the number of sporophylls and the number of stamens and pistils—a criticism, 343
Boerhaavia diffusa, 275, 489, 495, 500
Boletus abietinus, 466; *isabellinus*, 463; *roseus*, 465
Borrchia, 271
Botrychium Lunaria, 203; *onondagense*, 203; *virginianum*, 40
Bromus hordeaceus, 371; *secalinus*, 371; *tectorum*, 371
 BROWN, E. W. Regeneration in *Phegopteris polypodioides*, 391
Bryum contortum, 445; *extinctorium*, 433, 437, 438, 441; *pulvinatum*, 433

Caecoma destruens, 452; *exitiosum*, 455; *miniatum*, 455; *Rosae miniatum*, 455
Caesalpinia Bonducella, 270, 271, 272, 276
Cakile, 271; *edulenta*, 492
Calamagrostis canadensis, 29, 38
Calophyllum inophyllum, 271, 275, 489
Caltha palustris, 40
Calystegia Soldanella, 270
Campanula rotundifolia, 58, 59, 62, 66; *uliginosa*, 40
Canavalia, 270, 271
Cannabis sativa, 378
Carapa moluccensis, 271; *obovata*, 271
Campylothea molokaiensis, 274, 495
Capparis sandwichiana, 495, 500
Cardiospermum, 271; *Halicacabum*, 277
Carex arctata, 31, 39; *filiformis*, 29, 39; *hirta*, 372, Howei, 372; *imcomperta*, 372; *laxiflora*, 31; *leptalea*, 372; *muri-cata*, 372; *sandwicensis*, 276; *stricta*, 372; *virescens*, 372
Carpinus caroliniana, 375
 Carrier of the mosaic disease, A, 219
Cassia Gaudichaudii, 275, 495
Cassytha filiformis, 272, 276
Castalia odorata, 379
Casuarina equisetifolia, 276
Celastrus scandens, 38
Cenchrus, 271; *calyculatus*, 276, 497, 500
Centrosema, 271
Cerbera Odollam, 270
Chaetochloa imberbis, 369; *imberbis perennis*, 369; *occidentalis*, 369; *versicolor*, 369

Chamaecyparis thyoides, 291
Chamaedaphne calyculata, 38
Chamaenerion angustifolium, 38
Chenopodium album, 276, 497; *sand-wicheum*, 275, 500;
Chiococca, 271
Chiogenes, 36; *hispidula*, 39
Chloris, 271
Chloropyron canescens, 421; *maritima*, 420; *palustre*, 420; *Parryi*, 421
Chrysanthemum Leucanthemum, 39
Cichorium Intybus, 70
Cicuta bulbifera, 382
Cibotium Chamissoi, 134; *Menziesii*, 134
Cintractia affinis, 453; *Krugiana*, 453; *leucoderma*, 453
Circaea alpina, 40
Cissampelos Pariera, 270
Cladium leptostachyum, 276; *mariscoides*, 40
Cladoderris Blumeri, 461; *elegans*, 461; *Decandolleana*, 461; *infundibuliformis*, 461
Clarkia pulchella, 56
Clathropteris meniscioides, 280; *platyphylla*, 279, 280–285
Clavaria flagelliformis, 462
Clavariaceae, 462
Clematis Drummondii, 146
Clermontia parviflora, 134
Clerodendron inerme, 270, 271
Clintonia borealis, 39
Coccoloba, 271
Cocos nucifera, 270, 271, 275
 COKER, D. Revision of the North American species of *Encalypta*, 433
Coleosporium miniatum, 455
Colubrina asiatica, 270, 272, 274
Coltricia benguensis, 464
Comandra umbellata, 40
Comarum palustre, 39
Comptonia asplenifolia, 291; *peregrina*, 38
Conocarpus erecta, 271
Conringia orientalis, 380
Convolvulus spithameus, 40, 271
Coptis trifolia, 39, 207, 379
Cora gyrolophia, 461; *pavonia*, 462
Cordea subcordata, 270, 271, 275
Cordylanthus bicolor, 404; *capitatus*, 404; *canescens*, 421; *filifolius*, 410, 411; *filifolius brevibracteatus*, 412; *Kingii*, 416; *laxiflorus*, 401; *mollis*, 419; *maritimus*, 420; *Nevinii*, 409; *Orcuttianus*, 418; *Parryi*, 421; *pilosus*, 405, 406; *Pringlei*, 402; *ramosus*, 414; *rigidus*, 411; *tenuis*, 406
Coriopsis atypus, 464; *melleoflavus*, 463
Coriulus abietinus, 466; *perpusillus*, 466; *rubritinctus*, 466

- Cornus canadensis*, 39, 207; *stolonifera*, 38
 Correlation of morphological variations in the seedling of *Phaseolus vulgaris*, 109
Corticium caeruleum, 451, 457
 COUTANT, M. W. Wound periderm in certain cacti, 353
Crataegus chrysocarpa, 381; *oxyacantha*, 287
Crepidula plana, 53
Cressa cretica, 275, 487, 496
Crotalaria sp., 277
Crotonopsis argentea, 478, 479; *elliptica*, 478; *linearis*, 477, 478, 479; *spinosa*, 478, 479
Cudonia, 79
Cyanea arborea, 135; *Giffardii*, 133, 134; *noli-me-tangere*, 136; *rollandioides*, 135; *superba*, 134; *tritomantha*, 136
Cycas circinalis, 271
Cyclomyces spadiceus, 467; *tabacinus*, 467
Cycloporellus barbatus, 467
Cymatoderma elegans, 461
Cynodon Dactylon, 277
Cynoglossum officinale, 39
Cynometra cauliflora, 271
Cyperus laevigatus, 275, 497, 500; *pen-natus*, 276, 500; *pheloides*, 276; *umbellatus*, 277
Cypripedium hirsutum, 40
Cyrtilla racemiflora, 150
Crytomium Fortunei, 98; *Rochfordia-num*, 98
Cystopteris bulbifera, 207
Cyrtandra, 134

Dalibarda repens, 207
Dammara australis, 272
Danthonia spicata, 39
Datura Stramonium, 219, 277; *Tatula*, 219
Decodon verticillatus, 38
Dennstaedtia punctilobula, 366
Derris uliginosa, 270
Dictyocalyx Miersii, 270
Diervilla lonicera, 38, 207
Digitalis grandiflora, 56; *purpurea*, 56
Dioclea violacea, 272
 DODGE, B. O. Studies in the genus *Gymnosporangium*—II. Report on cultures made in 1915 and 1916, 287
Dodonaea, 271; *viscosa*, 270
Douglasia Hoopesii, 153
Draba verna, 56
Drosera filiformis, 380; *intermedia*, 380; *rotundifolia*, 380
Drynaria composita, 285; *quercifolia*, 285
Dryopteris spinulosa, 40; *Thelypteris*, 39
Dryostachyum, 285

Dubautia laxa, 138
Dulichium arundinaceum, 39

Elaeodendron, 271
Eleocharis palustris, 40; *tricostata*, 372
Elymus sp., 33, 40
Encalypta affinis, 440; *alaskana*, 433, 435, 441; *alpina*, 435, 437, 440; *apophy-sata*, 435, 437, 443; *brevicolla*, 437, 438, 444; *ciliata*, 435, 441; *ciliata mic-rostoma*, 442; *commutata*, 441; *con-torta*, 434, 436-438, 445; *cucullata*, 433, 435, 436, 438, 444; *extinctoria*, 434, 437, 438; *extinctoria apiculata*, 439; *extinctoria mutica*, 439; *lacera*, 434, 435; *laciniata*, 434, 437, 441; *laciniata microstoma*, 440, 442; *leiomi-trita*, 435, 439, 440; *leiocarpa*, 433, 435, 436, 443; *labradorica*, 434, 435, 436, 444; *longipes*, 433, 435, 436, 444; *Macounii*, 433, 435, 443; *mexicana*, 435, 441; *pilifera*, 440; *procera*, 435, 438, 444; *rhabdocarpa*, 435, 437, 439, 440; *rhabdocarpa microstoma*, 440; *rhabdocarpa pilifera*, 440; *Selwyni*, 433, 435, 436, 444; *streptocarpa*, 436, 445; *subbrevicolla*, 434, 436, 444; *subspa-thulata*, 434, 435, 439, 440; *vulgaris*, 435, 438
Encalypta, Revision of the North Ameri-can species of, 433
Entada scandens, 271
Epigaea repens, 40
Equisetum arvense, 39, 366; *fluviatile*, 40; *hyemale*, 33, 39; *laevigatum*, 40; *palustre*, 39; *scirpoides*, 40
Eragrostis hawaiiensis, 276, 500
Eriophorum viridicarinatum, 40
Erodium cicutarium, 382
Erysibe miniata Rosarum, 455; *pani-corum*, 452
Erysimum cheiranthoides, 380
Erythraea sabaeoides, 276
Erythrina monosperma, 275
Euchlaena luxurians, 318; *mexicana*, 318, 332
Eupatorium, 154; *perfoliatum*, 39; *pur-pureum*, 39, 154
Euphorbia, 271; *Atoto*, 270; *cordata*, 275, 487, 495, 496; *pilulifera*, 277
Euthamia sp., 40
Euxolus viridis, 277, 500
 EVANS, A. W. The air chambers of *Grimaldia fragrans*, 235
 Evolution of maize, The, 309
Excoecaria Agallocha, 271
Exidia ampla, 456; *auricula-judae*, 457; *nobilis*, 456; *tenuis*, 457

Fagus grandiflora, 37, 375
 Ferns and flowering plants of Nantucket —XIX, The, 365

- FERRIS, R. S. Taxonomy and distribution of *Adenostegia*, 399
Festuca capillata, 371; *myuros*, 371; *octoflora*, 371; *ovina*, 371
Ficus macrocarpus, 52
Filicites meniscioides, 280
Fimbristylis pycnocephala, 274, 489
Fleurya interrupta, 276
Fomes albomarginatus, 464; *carneus*, 466; *cornu-bovis*, 465; *Fullageri*, 465; *melanoporus*, 465; *Merrillii*, 465; *pyrrhocreas*, 464; *roseus*, 465; *spadiceus*, 467, 468; *substygius*, 467
Fraxinus americana, 37; *nigra*, 37
Friesia, 477; *argentea*, 479

Galium triflorum, 40
Gaultheria procumbens, 39
Geoglossum, 79; *glabrum*, 80; *glutinosum*, 80
Geranium mexicanum, 156; *Robertianum*, 31, 40
Glyceria Fernaldii, 370
Gossypium tomentosum, 274, 495
GRAFF, P. W. Philippine Basidiomycetes—III, 451
Grimmia, 433
Grimaldia dichotoma, 236
Grimaldia fragrans, The air chambers of, 235
Guettarda speciosa, 271
Gymnadeniopsis clavellata, 374
Gymnosporangium clavariaeforme, 292; *clavipes*, 287, 293, 296; *Ellisii*, 287, 291, 293; *fraternum*, 296; *globosum*, 287, 288, 290; *juvenescens*, 294; *macropus*, 287, 288; *nidus-avis*, 287, 293, 294; *transformans*, 296
Gyromitra esculenta, 79; *gigas*, 80, *infula*, 79

Hamaspora acutissima, 454
HARPER, E. T. Two remarkable *Discomycetes*, 77
HARPER, R. M. The plant population of northern lower Michigan and its environment, 23
HARRIS, J. A., & AVERY, B. T. Correlation of morphological variations in the seedling of *Phaseolus vulgaris*, 109
Helianthus petiolaris, 383
Heliotropium, 271; *anomalum*, 275; *curassavicum*, 270, 275, 500
Helvella crispa, 79, 80; *elastica*, 79, 85; *mesenterica*, 455
Heritiera littoralis, 270
Herpestis Monnieria, 275
Hibiscus, 271; *Rosa-sinensis*, 276; *tiliaceus*, 270, 271, 276
Hicoria alba, 375; *glabra*, 375; *microcarpa*, 375
Hirneola affinis, 456; *ampla*, 456; *auricula-judae*, 456; *nobilis*, 456; *tenuis*, 457
Hordeum jubatum, 372; *vulgare*, 372
Houstonia caerulea, 383
HUMBERT, E. P. A striking variation in *Silene noctiflora*, 157
Humulus Lupulus, 378
Hydneae, 463
Hydrocotyle verticillata, 277
Hymenochaete adusta, 457; *cacao*, 458; *nigricans*, 458; *rheicolor*, 458; *tenuissima*, 458
Hymenolichenes, 461
Hyoscyamus niger, 219
Hypericum opacum, 480
Hypoxis hirsuta, 374

Ilex verticillata, 38
Impatiens pallida, 207
Index to American botanical literature, 43, 87, 121, 159, 211, 253, 301, 347, 385, 425, 470, 503
Indigofera Anil, 277
Ipomoea, 271; *acetosaefolia*, 275; *glaberrima*, 272, 275, 496; *grandiflora*, 271; *insularis*, 275, 496, 500; *maritima*, 270; *pes-caprae*, 270, 272, 275, 500
Iris versicolor, 29, 39
Irpex flavus, 463

Jacquemontia sandwicensis, 276, 495, 497
Juncus balticus, 373
Juniperus communis, 292; *virginiana*, 288, 366

Kadua littoralis, 274, 489, 495, 496
Kalmia polifolia, 28
Keerlia mexicana, 154
Koellia incana, 383
Krameria glandulosa, 143
Kyllingia monocephala, 276

Labordia, 134
Laburnum vulgare, 382
Lachnea semitosta, 80
Lachnocladium flagelliforme, 462; *usambarense*, 462
Lactuca virosa, 383
Laguncularia racemosa, 270
Larix decidua, 366; *laricina*, 37, 42
Laschia velutina, 456
Lathyrus odoratus, 56; *palustris*, 39
Lechea Leggettii, 480
Ledum groenlandicum, 38
Leotia, 79
Leersia alpina, 441; *ciliata*, 441; *contorta*, 445; *extinctoria*, 438; *extinctoria pilifera*, 440; *laciniata*, 441; *marginata*, 438; *rhabdocarpa*, 439; *procera*, 444; *Selwyni*, 444; *vulgaris*, 438
Lemna minor, 373; *trisulca*, 373
Lens esculenta, 56

- Lepidium owaiense*, 274, 487, 495, 496, 500
Leptemon lineare, 479
Leptilon canadense, 39
Lepturus repens, 275, 500
Leucaena glauca, 276
Lilium philadelphicum, 39, 373
Linnaea americana, 39
Linum angustifolium, 59, 70; *striatum*, 382; *usitatissimum*, 70
Liparis Loeselii, 374
Lipochaeta connata littoralis, 274; *integrefolia*, 274, 495, 500; *succulenta*, 274, 496
Liriodendron Tulipifera, 379
Lobelia cardinalis, 40; *Erinus*, 58, 59, 66; *hypoleuca*, 138; ***oahuensis***, 137
Lonicera canadensis, 34, 38
Lumnitzera coccinea, 271; *racemosa*, 271
Lupinus affinis, 192; *arenicola*, 1, 2; *brevicaulis*, 11; *Bridgesii*, 1, 2, 20; *densiflorus*, 1-7, 167, 172, 174; *densiflorus altus*, 172, 185; *densiflorus austrocollum*, 173, 200; *densiflorus barbatissimus*, 173, 199; *densiflorus crinitus*, 173, 195; *densiflorus curvicularis*, 173, 196; *densiflorus Dudleyi*, 173, 188, 189; *densiflorus glareosus*, 172, 180; *densiflorus lacteus*, 172, 181; *densiflorus latilabrus*, 172, 178; *densiflorus latidens*, 173, 188; *densiflorus Menziesii*, 172, 176; *densiflorus McGregori*, 172, 184; *densiflorus palustris*, 173, 176, 191; *densiflorus perfistulosus*, 172, 175; *densiflorus persecundus*, 173, 190; *densiflorus Reedii*, 173, 197; *densiflorus scopulorum*, 173, 201; *densiflorus stanfordianus*, 173, 194; *densiflorus stenopetalus*, 172, 174; *densiflorus sublanatus*, 172, 183; *densiflorus Tracyi*, 172, 179; *densiflorus trichocalyx*, 173, 198; *densiflorus vastiticola*, 172, 186; *densiflorus versabilis*, 173, 187; *glareosus*, 1, 5, 14; *horizontalis*, 1, 5, 7, 11; *horizontalis platypetalus*, 12; *lacteus*, 1, 170; *luteolus*, 1-7, 20, 21; *malacophyllus*, 1, 2, 7; *Menziesii*, 1, 3, 170; *Menziesii aurea*, 1; *microcarpus*, 1-9, 200; *microcarpus ruber*, 10; *palustris*, 1; *ruber*, 1, 10; *subvexus*, 1, 5, 7, 12, 13, 193; *subvexus albilanatus*, 13, 19; *subvexus fluviatilis*, 6, 13, 14; *subvexus insularis*, 13, 17; *subvexus Leibergeri*, 13, 16; *subvexus nigrescens*, 13; *subvexus phoeniceus*, 13, 17; *subvexus transmontanus*, 8, 13, 15; *subvexus Wilkesii*, 13, 20
Lupinus, Studies in the genus—II, 1; —III, 167
Lycium sandwicense, 274
Lycoperdon subcordatum, 454
Lycopersicon peruvianum, 270
Lycopodium annotinum, 39, 207; *complanatum*, 366; *lucidulum*, 207; *obscurum*, 366; *obscurum dendroideum*, 207; *tristachyum*, 366
Lysimachia spathulata, 275, 495; *terrestris*, 39
Lythrum maritimum, 276
MACCAUGHEY, V. The strand flora of the Hawaiian Archipelago—I. Geographical relations, origin, and composition, 259;—II. Ecological relations, 483
Malvastrum tricuspidatum, 276
Matonia pectinata, 283
Medeola virginiana, 373
Menyanthes trifoliata, 40
Merulius affinis, 456; *auricula*, 456
Mesembryanthemum spp., 277
Metrosideros polymorpha, 276, 495; *rugosa*, 138
Michigan, The plant population of northern lower, 23
Mirabilis Jalapa, 56, 65
Mitchella repens, 39
Mitella nuda, 40
Morchella esculenta, 79, 80; *hybrida*, 79
Morinda, 271; *citrifolia*, 270, 271, 276
Mozinna spathulata, 152
Mucuna gigantea, 271, 272, 276; *urens*, 272
Myoporum sandwicense, 275
Myriadoporus adustus, 463
Myrica carolinensis, 375; *Gale*, 38, 374
Myriophyllum prosperinacoides, 482
Nama sandwicensis, 276, 495, 496, 500
Naias flexilis, 368; *guadalupensis*, 368
Naumburgia thyrsoiflora, 40
Nemopanthes mucronata, 38
Nephrodium hirtipes, 98; *molle*, 94; *pseudo-mas polydactylum*, 98
New species of Hawaiian plants, 133
New species of Uredineae—X, 141
Nicotiana glauca, 220; *glutinosa*, 270; *Tabacum*, 219, 220, 221
Nigella damascena nana, 56, 65
Nipa fruticans, 270
NISHIMURA, M. A carrier of the mosaic disease, 219
Notes on plants of the southern United States—IV, 477
Notes on the fern genus *Clathropteris*, 279
Notholaena distans, 96; *Eckloniana*, 96; *sinuata*, 96
Nothoscordium, 149
Notoptera hirsuta, 149
Nototrichium humile, 274
Nymphaea alba, 52; *variegata*, 28, 39
Oenothera gigas, 53, 54, 58; *Lamarckiana*, 53, 54, 58

- On the constancy of cell shape in leaves of varying shape, 51
Oncomyces mesentericus, 455
Onoclea sensibilis, 39
Ophioglossum vulgatum, 276, 365
Opuntia, 271; *discata*, 353; *versicolor*, 353
Oryzopsis asperifolia, 40
Osmunda cinnamomea, 94; *Claytoniana*, 94, 365; *regalis*, 94, 39, 103, 104; *specabilis*, 365
Ostrya virginiana, 37
Oxycoccus macrocarpus, 40
- Pandanus odoratissimus*, 276
Pangium edule, 270
Panicularia acutiflora, 370; *americana*, 370; *grandis*, 370; *pallida*, 370; *pallida Fernaldii*, 370
Panicum Addisonii, 368; *Bicknellii*, 369; *depauperatum*, 40, 368, 369; *dichotomum*, 369; *linearifolium*, 368; *meridionale*, 369; *Owensae*, 368, 369; *sanguineum*, 56; *tennesseense*, 369
Pariera, 270
Pastinaca sativa, 39
Pellaea adiantoides, 96, 99; *atropurpurea*, 96, 99, 102; *atropurpurea cristata*, 96; *cretica*, 99; *flavens*, 96; *nivea*, 96; *tenera*, 96; *viridis*, 99
Pemphis acidula, 270, 271
PENNELL, F. W. Notes on plants of the southern United States—IV, 477
Pentstemon procerus, 143
Persicaria pensylvanica, 378
PETRY, L. C. Studies on the vegetation of New York State—II. The vegetation of a glacial plunge basin and its relation to temperature, 203
Petunia violacea, 219
Peucedanum sandwicense, 276
Peziza auricula, 456; *coronaria*, 84; *coronaria macrocalyx*, 85; *Stevensoniana*, 84; *vesiculosa*, 84
Phalaris arundinacea, 40
Phaseolus vulgaris, 56
Phaseolus vulgaris, Correlation of morphological variations in the seedling of, 109
Phegopteris Dryopteris, 207
Phegopteris polypodioides, Regeneration in, 391
Philippine Basidiomycetes—III, 451
Phlebia mesenterica, 455; *reflexa*, 456; *rugosissima*, 456
Phleum pratense, 40
Phragmidium Rosarum, 455; *Rosae pimpinellifoliae*, 455; *subcorticium*, 454
Phyllostegia variabilis, 274, 500
Physalacria orinocensis, 462
Physalis Alkekengi, 220, 231
Phytolacca decandra, 155
Picea canadensis, 37, 42; *mariana*, 28, 37, 42
Pinus Banksiana, 33, 37, 42; *insularis*, 464; *resinosa*, 37, 42; *rigida*, 366; *Strobus*, 37, 42; *sylvestris*, 51
Pisum sativum, 56, 65
Plant population of northern lower Michigan and its environment, The, 23
Plantago lanceolata, 59, 68; *major*, 59, 68; *tomentosa*, 270
Platycarpus, 1
Pleurotus flabellatus, 451
Poa pratensis, 38, 370
Polygonatum biflorum, 40, 373
Polygonum alpinum, 142; *barbatum*, 452; *chinense*, 452; *maritimum*, 378; *pensylvanicum laevigatum*, 378; *pensylvanicum nesophilum*, 378
Polypogon littoralis, 275, 497
Polyporus adustus, 463; *albomarginatus*, 464; *atypus*, 463; *benguetsensis*, 464; *Burtii*, 463; *carneus*, 466; *carpinus*, 463; *cinereo-fuscus*, 465; *crispus*, 463; *dolosus*, 466; *Elmeri*, 468; *flavus*, 463; *Halesiae*, 463; *incarnatus*, 466; *kermes*, 464; *laeticolor*, 464; *Lindheimeri*, 463; *luzonensis*, 464; *melanoporus*, 465; *ochrocephalus*, 464; *pallescent*, 463; *roseus*, 466; *rufo-pallidus*, 466; *spadiceus*, 467; *subcinereus*, 463; *tabacinus*, 467
Polyporeae, 463
Polystictus abietinus, 466; *atypus*, 464; *barbatus*, 467; *benguetsensis*, 464; *cervino-gilvus*, 463; *microcycclus*, 467; *perpusillus*, 466; *rubritinctus*, 466; *spadiceus*, 467; *substygius*, 467; *tabacinus*, 467; *tabacinus barbatus*, 467; *tabacinus substygius*, 467; *xerampelinus*, 467
Pongamia glabra, 270
Populus balsamifera, 37; *grandidentata*, 33, 37; *tremuloides*, 33, 37
Portulaca oleracea, 277, 500
Potamogeton Oakesianus, 367; *pectinatus*, 367; *pulcher*, 367
Potentilla Anserina, 33, 39
Primula sinensis, 55
Pritchardia Gaudichaudii, 500; spp., 276
Prosopis juliflora, 276, 489
Prunus maritima, 381; *pennsylvanica*, 33, 37; *pumila*, 33
Pteris aquilina, 38, 94; *argyraea*, 97, 102; *cretica albolineata*, 96, 97, 101, 102; *Droogmantiana*, 96; *Parkeri*, 97; *quadrariaurita argyraea*, 96; *serrulata*, 94, 97; *sulcata*, 96, 97, 102
Puccineae, 454
Puccinia adducta, 148; *Agropyri*, 146; *Ciberti*, 454; *cohaesa*, 146; *Eriophori*, 144; *Heliconiae*, 144; *Hyptidis*, 454;

- incondita*, 148; *missouriensis*, 146; **Notopterae**, 149; *obesispora*, 147; *patruelis*, 150; **Rosenii**, 144; **Viornae**, 145; **wyomensis**, 143; *Rivinae*, 155
Puccinellia distans, 371; *distans tenuis*, 371
Pustularia gigantea, 82, 84; *vesiculosa*, 84
Pyrola asarifolia, 207
Pyropolyporus albomarginatus, 465; *Merrillii*, 465
Quercus alba, 31, 37, 42; *alba x rufescens*, 377; *bicolor*, 378; *borealis maxima*, 37, 42; *coccinea*, 375; *coccinea x velutina*, 378; *ilicifolia*, 376; *ilicifolia x velutina*, 377; *pagodaefolia*, 376; *palustris*, 378; *prinoides rufescens*, 376; **rufescens**, 376; *stellata*, 376; *velutina*, 40, 375
Radicula palustris, 380
Raimannia Drummondii, 482
Ranunculus recurvatus, 147; *repens*, 379
Razoumofskyia pusilla, 28
Reana luxurians, 318
Regeneration in *Phegopteris polypodioides*, 391
Relationship between the number of sporophylls and the number of stamens and pistils—a criticism, *The*, 343
Reseda lutea, 380
Revision of the North American species of *Encalypta*, 433
Rhachicallis, 271
Rhamnus alnifolia, 34, 38
Rhexia Alifanus, 482; *aristosa*, 482; *cubensis*, 481; *delicatula*, 481; **interior**, 480, 482; *lanceolata*, 484; *latifolia*, 480; *lutea*, 480, 481; *mariana*, 481; *Nashii*, 480, 482; *parviflora*, 481; *petiolata*, 481; *serrulata*, 481; *stricta*, 482; *virginica*, 482
Rhizomopteris cruciata, 281
Rhizophora, 271
Rhus, 271; *glabra*, 38, 42; *sp.*, 38: *Toxicodendron*, 33, 38, 42
Ribes lacustre, 207, 209
Riccia fluitans, 243; *Frostii*, 243, 244; *glauca*, 245; *natans*, 243
Ricciocarpus natans, 243
Ricinus communis, 271
Rock, J. F. New species of Hawaiian plants, 133
Roestelia transformans, 287
Rollandia angustifolia, 136; *longiflora*, 137
Rosa cinnamomea, 380; *sp.*, 33, 38
Rubus allegheniensis, 38, 42; *odoratus*, 207; *strigosus*, 38, 42; *triflorus*, 39
Rumex crispus, 378; *elongatus*, 378; *maritimus fueginus*, 378; *persicarioides*, 378
Ruppia maritima, 271, 275, 367, 497
Rynchospora aurea, 453; *glauca*, 453
Sabbatia campanulata, 383; *stellaris*, 383
Sagus, 271
Salix Bebbiana x cinerea, 374; *discolor*, 38; *fluviatilis*, 37; *lucida*, 37; *pedicellaris*, 34; *petiolaris*, 374; *rostrata*, 38; *Smithiana*, 374; *spp.*, 37
Sagittaria Engelmanniana, 368; *latifolia*, 368
Salsola Kali, 492
Salvia occidentalis, 277
Samanea Saman, 277
Sambucus pubens, 34, 38
Santalum Freycenetianum littorale, 274, 487, 489, 500
Sapindus Saponaria, 271
Sassafras Sassafras, 380
Scaevola, 271; *coriacea*, 274; *Koenigii*, 271, 272; *Lobelia*, 275, 500; *Plumieri*, 270
Schiedea globosa, 274, 495; *Lydgatei*, 274, 495
Schoenus nigricans, 144
Scirpus americanus, 39; 144, *atrovirens*, 40; *cyperinus pelius*, 39; *maritimus*, 275; *validus*, 39, 372
Scolopendrium vulgare, 203
Scyphiphora hydrophyllacea, 271
Sepultaria sepulta, 84
Sesbania tomentosa, 275
Sesuvium, 271; *Portulacastrum*, 275, 496, 489, 500
Setiscapella subulata, 383
Sicyos hispidus, 276, 495, 500; *microcarpus*, 276, 500
Sida spp., 495
Silene noctiflora, *A striking variation in*, 157
Sistotrema violaceum, 466
Smilax herbacea, 373
SMITH, C. P. Studies in the genus *Lupinus*—II. The *Microcarpi*, exclusive of *Lupinus densiflorus*, 1;—III. *Lupinus densiflorus*, 167
Solanum aculeatissimum, 219, 221–231; *carolinense*, 219; *laysanense*, 274, 500; *Nelsoni*, 274; *nigrum*, 219; *racemosum*, 148; *triquetrum*, 148; *tuberosum*, 56
Solidago, 271; *canadensis*, 38
Sonneratia sp., 271
Sophora tomentosa, 271
Sparganium americanum, 367; *eurycarpum*, 367
Spartina Michauxiana, 39, 271
Spathularia, 79
Spiraea latifolia, 38
Spongipellis luzonensis, 464
Sporobolus, 271; *argutus*, 155; *virginicus*, 275, 489, 500; *virginicus phleoides*, 274

- STEIL, W. N. Studies of some new cases of apogamy in ferns, 93
- Stereum adustum*, 457; *bellum*, 458; *cacao*, 458; *concolor*, 459; *contrarium*, 460; *crenatum*, 459; *involutum*, 459; *lobatum*, 459; *lugubre*, 459; *luzoniense*, 460, 461; *nigricans*, 458; *ostrea*, 459; *ostrea concolor*, 459; *perlatus*, 459, 460; *princeps*, 460; *radio-fissum*, 460; *rheicolor*, 458; *scytale*, 460; *spectabile*, 460; *tenuissimum*, 458
- Stevia* sp., 154
- Stipa avenacea*, 369
- Strand flora of the Hawaiian Archipelago, The.—I. Geographical relations, origin, and composition, 259;—II., Ecological relations, 483
- Straussia glomerata* 138; *hawaiiensis*, 134, 139
- Striking variation in *Silene noctiflora*, A, 157
- Streptopus roseus*, 207
- Strongylodon lucidum*, 134, 271, 272
- Studies in the genus *Gymnosporangium*—II., Report on cultures made in 1915 and 1916, 287
- Studies in the genus *Lupinus*—II. The *Microcarpi*, exclusive of *Lupinus densiflorus*, 1;—III. *Lupinus densiflorus*, 167
- Studies of some new cases of apogamy in ferns, 93
- Studies on the vegetation of New York state—II. The vegetation of a glacial plunge basin and its relation to temperature, 203
- Suriana maritima*, 270, 271
- Stenotaphrum*, 271
- Tacca pinnatifida*, 271
- Targionia hypophylla*, 244, 246
- Taxonomy and distribution of *Adenostegia*, 399
- Taxus canadensis*, 38, 42
- TENOPYR, L. A. On the constancy of cell shape in leaves of varying shape, 51
- Tephrosia littoralis*, 270; *piscatoria*, 275
- Terminalia Katappa*, 271
- Tetramolopium* sp., 495, 496
- Thalictrum dasycarpum*, 39; *polygamum*, 380
- Telephora adusta*, 457; *atro-caerulea*, 457; *caerulea*, 457; *concolor*, 459; *fimbriata*, 457; *indigo*, 457; *lobata*, 459; *mesenterica*, 455; *nigricans*, 458; *purpurea*, 455; *pavonia*, 462; *princeps*, 460
- Telephoreae*, 457
- Thenardia Galeottiana*, 150
- Thespesia populnea*, 270, 271, 497
- Thuja occidentalis*, 37
- Thymus serpyllum*, 383
- Tiarella cordifolia*, 207
- Tilia americana*, 37
- Tilletia destruens*, 452; *Oryzae*, 453
- Tithymalus commutata*, 151; *leiococcus*, 151; *missouriensis*, 151; *robusta*, 151
- Tournefortia argentea*, 270, 271
- Tradescantia virginiana*, 373
- Trametes aurora*, 463; *Elmeri*, 468; *insularis*, 468
- Tranzschelia cohaesa*, 146
- Trematolobelia macrostachys*, 138
- Tremella caragana*, 456; *auricula*, 456; *auriformis*, 456
- Triadenum virginicum*, 39
- Tribulus cistoides*, 270, 276, 495, 500
- Trientalis americana*, 39
- Trifolium pratense*, 40; *repens*, 40
- Triglochin maritima*, 368
- Trillium grandiflorum*, 40
- Tripsacum dactyloides*, 323
- Tsuga canadensis*, 37
- Typha angustifolia*, 366; *latifolia*, 29, 38, 367
- Tyromyces Elmeri*, 468
- Two remarkable *Discomycetes*, 77
- Ulmus americana*, 37, 42
- Underwoodia columnaris*, 77
- Unifolium canadense*, 38
- Uredo carbo*, 452; *Ciberti*, 454; *destruens*, 452; *egenula*, 155; *Eglanteriae*, 455; *elevata*, 454; *Heliconiae*, 144; *Hyptidis*, 454; *miniata* *Eglanteriae*, 454; **panamensis**, 155; *tonkinensis*, 453; **unilateralis**, 155
- Uromyces Acetosae*, 143; **Atriplicis**, 141; **fuscatus**, 142, **Krameriae**, 143
- Urtica dioica*, 56
- Ustilagineae, 452
- Ustilago Adropogonis-aciculati*, 452; *carbo destruens*, 452; *destruens*, 453; *emodensis*, 452; *Koordersiana*, 452; *leucoderma*, 453; *Panici miliacei*, 452; *tonkinensis*, 453; *virens*, 453
- Ustilaginoidea Oryzae*, 453; *virens*, 453
- Vaccinium canadense*, 38; *pennsylvanicum*, 38
- Vagnera racemosa*, 31, 39; *stellata*, 373; *trifolia*, 39
- Verbascum Thapsus*, 39
- Verbena littoralis*, 270; *polystacha*, 270
- Verpa digitaliformis*, 79
- Vibrissea*, 79
- Viburnum acerifolium*, 31, 38; *cassinoides*, 38; *venosum*, 383
- Victoria regia*, 52
- Vigna*, 271; *lutea*, 270, 272, 276; *oahuensis*, 270
- Vitex trifolia*, 272

- | | |
|--------------------------------------|--------------------------------------|
| Vitis vinifera, 52, 271; vulpina, 38 | Wound periderm in certain cacti, 353 |
| Waltheria americana, 276, 497 | Xanthium echinatum, 277 |
| Washingtonia Claytoni, 39 | Ximemia americana, 271 |
| WEATHERWAX, P. The evolution of | Zanichellia palustris, 368 |
| maize, 309 | Zea canina, 309, 329; Mays, 56, 312 |
| Wikstroemia Uva-ursi, 274, 496 | Zostera, 271 |
| Wollastonia glabra, 270, 271 | |